

HKIA Annual Awards 2011



Dominic Lam FHKIA, RAPresident
The Hong Kong Institute of Architects

President's Message

Hong Kong has developed to the present modern metropolitan over the decades. The HKIA Annual Awards have witnessed the development of Hong Kong architecture. This year, submissions are of high standard. We can see our fellow architects' creativity in making good use of the space to come up innovative designs and make our living environment better. Today, Hong Kong architects' services play a vital part not just in Hong Kong but in the region.

On behalf of the Institute, may I express my heartfelt gratitude to Mr. Bjarne Hammer, Mr. Jurgen Bey, Ms. Joanlin Au, Dr. Chan Lai Kiu and Ms. Chiu Hang Mei Mary Grace for serving as the jurors of this year's Awards. I am also thankful to the Annual Awards 2011 Organizing Committee chaired by Mr. Leslie Lu for their hard work.

Congratulations to all the winners of the HKIA Annual Awards 2011.



Background

The Hong Kong Institute of Architects Annual Awards is handed out in recognition of outstanding architecture achievements by members of HKIA. The award began in 1965 and is one of the most important architectural awards given out in Hong Kong in acknowledging distinguish merits and in offering the much needed opportunity for public admiration and appreciation.

Since 2007, the awards for the Medal of the Year are split into two categories: the HKIA Medal of the Year of Hong Kong and HKIA Medal of the Year Outside Hong Kong. Both are awarded to the architect(s) of the selected Hong Kong and outside Hong Kong building(s) that deserve the highest honour; architect(s) of other buildings deserving an award will receive a HKIA Merit Award of Hong Kong and HKIA Merit Award Outside Hong Kong. Entries are divided into the following four categories for assessment: Residential Buildings, Commercial Buildings, Community Buildings, and Industrial/Transport/Utility Buildings.

The President's Prize is awarded to smaller projects with construction costs below \$20 million.

Established in 2001, the Special Architectural Award aims to acknowledge members who have carried out Hong Kong works or research of outstanding contribution to a particular architectural issue such as Heritage & Adaptive Re-use, Architectural Research, Architectural Interior and Urban Design. As Alteration and Addition Works have been considerably active in recent years, in 2008, we introduce the Alteration and Addition Works under the Special Architectural Award category. In 2009, the committee encouraged overseas projects to be submitted for the Special Architectural Award in an effort to lift the regional restrictions for this category. In 2011, in order to meet up with the global trend of architecture, the Institute has re-organized the categories of the Special Architectural Award.

Jury Panel

Lay Juror Mr. Jurgen BEY

Designer Studio Makkink & Bey

Overseas Juror Mr. Biarne HAMMER


Founding Partner schmidt hammer lassen architects

HKIA Member Ms. AU Chung Leung Joanlin HKIA

HKIA Member Dr. CHAN Lai Kiu HKIA

Representative from Young Architects Ms. CHIU Hang Mei Mary Grace HKIA

Young Architects Award Recipient 2008



Teaching Hotel Complex

The Hong Kong Polytechnic University

Rocco Design Architects Ltd

Location 17 Science Museum Road, Tsim Sha Tsui East, Kowloon

Site Area 4,000 sq m

Contract Sum HK\$1,122 Million

Client The Hong Kong Polytechnic University

Completion October 2010

Development Content Mix-Use (Educational/Commercial/Residential)



Design Concept

The Teaching Hotel for The Hong Kong Polytechnic University retains the original staff residential function, but subsumes it into an overall composition that now comprises a 262-room hotel as well as a teaching complex. The site is opened up horizontally both visually and spatially with glass atria at various levels allowing visual permeability connecting either sides of the site.


In the process of fulfilling the client's aspiration, the architecture reflects Hong Kong's unique phenomenon whereby seemingly conflicting uses are amalgamated into an integral whole. The site's memory will linger on, and when staff move back into their quarters in due course, they would hopefully embrace a new environment enriched by its interaction with other uses.

Jury Report

The project retains the original function of staff quarters, and adds new functions such as hotel rooms, teaching complex and function rooms in the development. Incorporation of the complex programmes by intelligent spatial planning is the merit of the design. The jury is delighted to see the design sensitivity in tackling the severe noise and air pollution problem of the site through careful orientation of different programmes and massing. The project demonstrates respect towards the site and the existing urban fabric through careful considerations of tectonic and forms.







Ping Shan Tin Shui Wai Leisure and Cultural Building

Architectural Services Department, HKSAR Government







Location 1 Tsui Sing Road, Tin Shui Wai, Yuen Long

Site Area 5,474 sq m

Contract Sum HK\$599.5 Million

Client Leisure and Cultural Services Department, HKSAR Government

Completion 31 May 2011

Development Content Indoor Game Facilities and Library


Design Concept

The project is a medium-rise development having 10 main levels including one basement. It accommodates two main blocks which are a public library and an indoor recreation centre. The public library block locates at the south side of the site and with 8 storeys of public library which includes entrance foyer with check-in/out counters, children's library, young adult library, adult library, multi-media library, reference library, students' study room, extension activity room, newspaper and periodicals area, computer and information centre, and associated offices. The indoor recreation centre locates at the north side of the site and with 5 storey high. It comprises one indoor swimming pool with 25x25m located, one main games arena, 4 multi-function rooms, children play room and associated offices.

Jury Report


This project consists of leisure and cultural facilities for the local residents. The jury is impressed by the sense of harmony delivered through the disposition of massing and the detailing of materials. The materials employed demonstrate various degrees of transparency and permeability in response to different functions and orientations. The interconnected atrium and courtyards at various levels facilitating natural light to reach lower floors is highly appreciated.

HKIA MEDAL OF THE YEAR OUTSIDE HONG KONG



Church of Seed

O STUDIO ARCHITECTS LIMITED



Design Concept

Situated within the beautiful landscape of Luofu Mountain, Church of Seed has an area of 280m2 and can accommodate 60 people. The design concept is triggered by the form of a seed - a famous metaphorical element in the Gospel stories. A curve line follows the outline of a seed and marks the enclosing wall element, The curve is then split into three parts: the south east facing wall has a cross shape opening which introduces morning sun into the interior; the west facing wall is solid and blocking the afternoon sun; the north facing wall is thicken to accommodate toilet facility. The stepping roof terrace allows diffuse northern daylight into the interior and provides a dramatic

headroom increment (3 - 12 meters) from the main entrance towards the worshiping space. Visitors can walk up to the stepping roof terrace, arrive at the observation deck and enjoy the distant view of mountain and water.

Jury Report

The scale of the project is relatively small, but the jury is impressed by the purity, fluidity and spiritual ambience of the design. The use of local materials as the design elements and using the same during construction are much appreciated. The project shows an intelligent spatial planning by using the concept of the "seed" to incorporate the programmatic needs. Some jurors opine that the concept of seed could be further reinforced by carrying out this concept in a more three-dimensional manner.





Location Huizhou, Guangdong Province, PRC

Site Area 1,200 sq m
Contract Sum RMB 2,900,000

Client Mefull (Huizhou) Agricultural Co Ltd

Completion 29 November 2010 Development Content Religious / Cultural







HKIA Merit Award of Hong Kong – Run Run Shaw Creative Media Centre (Leigh & Orange)






NIPPON PAINT (H.K.) CO., LTD.

Unit 509-515, 5/F, Trade Square, 681 Cheung Sha Wan Road, H.K. Tel: (852) 2699 9333 Fax: (852) 2602 8844 Email: np@nipponpaint.com.hk Website: www.nipponpaint.com.hk A MEMBER OF THE NIPSEA GROUP







Location 1&1E La Salle Road, Kowloon Tong, Kowloon, Hong Kong

Site Area 1,076 sq m

Contract Sum HK\$110 million

Client Poly Rising Development Limited

Completion 31 March 2009
Development Content Residential

Design Concept

The project is to re-develop a site of approximately 1076sq.m with plot ratio of 3 at LaSalle Road, Kowloon Tong. The design challenge is to create a landmark residential building from low-rise buildings of the neighborhood. The concept of the project is to create a modern and luxurious residential development which is unique in character in Hong Kong.

The proposed 8-level-high tower comprises 14 residential units with 2 units per floor, and 1 level of basement car park. Created with simplicity on external materiality, the building is envisioned as an architectural statement of terracotta, stone and steel & glass facade, lifts and lobbies. Unique landscape elements as reflective pool and lawn on the ground level, provides tenants relaxing spatial experience and defines luxury in itself.


Jury Report

The jury is impressed by the sense of tranquility created at the ground level, which is uncommon in residential developments in Hong Kong. The lift lobby and clubhouse area at ground level extend to the outdoor landscaped garden, while nature extends into the interior space. This spacious lobby, filled with sunlight, acts as a nice transition space before arriving home. The materials employed are carefully detailed.









DBS New Complex

Thomas Chow Architects Limited



Design Concept

Within the school campus, close to the existing main building built in 1929, the new additional phase explores the expression of contemporary architecture without challenging the heritage facades.

The extension specifications required an orchestral music concert hall, a chapel, an IT library, classrooms, student activities and art exhibition space. Sitting on the slopes, the buildings are carefully articulated around big trees which are cherished by the school and the neighborhood. The trees and the architecture is one open and airy environment, where students getting together and learning here would be very comfortable.

New elevations respect the height of the old building, it also accept the existing arcade opening of 2.9 meter as the horizontal controlling line. Daylight is brought into the spaces including the concert hall, filtering through slit openings on the walls and roofs.

Revolving doors and panels at the ground foyer and stage backwall control views from both sides. It allows a glimpse of the heritage facade from the new phase. The external tone is grey and white, in harmony with the rest of the campus. The interior finishes are plaster walls, slate and wood floors, with a modern stain glass feature and an oak paneling stage back wall.

Location 131 Argyle Street, Mongkok,

Kowloon, K.I.L. 6737

Site Area 7,400 sq m
Contract Sum HK\$165 million

Client Diocesan Boys' School

Completion 10 June 2011, 13 December 2011

Development Content School



Jury Report

The project is an extension to an existing school building. Cozy environment is provided through careful site planning and detailing in façade. By planning the buildings around the existing big trees, the project demonstrates a responsive solution to the site condition. The jury considers that, the design is subtle, but provides a sensuous environment for learning and remembrance.





Run Run Shaw Creative Media Centre

City University of Hong Kong

Leigh & Orange Limited



Design Concept

The building consists of lecture theatres, screening theatre, screening rooms, moving image labs, sound dubbing theatres, creative studios, media labs, TV studio, recording studios, research labs, special teaching classrooms, general classrooms, clusters of academic offices and studios, exhibition areas, event spaces, function room, staff common room, cafe, roof gardens and external plaza area.

Jury Report

The project is located some distance away from the main campus and on a hillside above. The sculptural form of the building creates an unprecedented academic environment for the students to explore. The spatial quality of the internal activity spaces can be further strengthened by bringing the external sculptural quality into the internal space.



Location 18 Tat Hong Ave, Kowloon Tong, Hong Kong

Site Area 7,674 sq m

Contract Sum Approx. HK\$350 million
Client City University of Hong Kong

Completion 15 November 2010 Development Content University Building





McQuay經銷商 (排名不分先後)

德寶冷氣(香港)有限公司 森瑪實業有限公司 穿梭科技有限公司 創先科技空調有限公司 TEL: 2330 1010 TEL: 2308 1806

TEL: 2308 1806 TEL: 2511 3161 TEL: 2690 0491 德昌冷氣設備供應有限公司

國際立馬工程有限公司 住濤電業有限公司

美聯空調工程有限公司

TEL: 2310 0011 TEL: 2499 5276

TEL: 2405 0888 TEL: 2796 3084





Design, Supply and Installation of Semi-Unitized Window System for Run Run Shaw Creative Media Centre, City University of Hong Kong






LIXIL Corporation - Hong Kong Branch 株式会社 LIXIL



(Formerly known as "Tostem Corporation Hong Kong Branch")
Unit C, 16/F., 169 Electric Road, North Point, Hong Kong.
Tel: (852) 2577 6368 Fax: (852) 2577 3207 **E-mail: sales@tostem.com.hk**



Innhouse

The Oval Partnership Ltd

Location Kunming Expo eco-town, Kunming, Yunnan Province of China

Site Area 7,123 sq m
Contract Sum RMB 95 million

Client HEXY Horti-Expo Xing Yun Real Estate Co Ltd

Completion 9 December 2011 Development Content Guest House






Design Concept

"INNHOUSE" is set on a forested hill with sweeping views of green valley and Kunming city scape. This eco guest house is conceptualized as a traveler village with only 17 guest suites in a cluster of four L shape structures linked by natural trails and courtyards at various levels. Designed with landscape and preserved trees, the timber cladded building with reconstitute bamboo decking is simple and largely devoid of decorations. Each building has two wings which are connected to a semi open lift lobby by a bridge. Guest suite is an extension of the landscape. Integrated with cantilever balcony, the living and bedroom side is open and could overlook the landscape. With subtle lighting through a series of vertical windows, the more private bathroom end is behind feature partition wall and forms box within box. Primary sustainable technologies applied include passive design to maximize day lighting and natural ventilation, watershed conservation, solar thermal, rainwater and grey water collection, well insulated envelope, reconstituted bamboo, biodiversity and building intelligent control to minimize the project's environmental impact and inspire local emerging eco tourism industry.

Jury Report


The project encompasses a cluster of guesthouses in a forested hill. The jury considers that this project demonstrates high design sensitivity to the surrounding natural landscape. The materials employed are well-articulated and carefully-detailed. The cozy atmosphere created is the merit of the design.

















XiXuan Spa Hotel

RAD Ltd

Location Hangzhou, China Site Area 7,265 sq m

Client Hangzhou Westbrook Investment Co. Ltd.

Completion May 2011
Development Content Hotel



Design Concept

40 poems are what constituted our design brief. Like the poets and intellectuals that for centuries have visited XiXi wetland for artistic reflection and creation, we looked at the context as source of inspiration.

We collected natural elements, studied and combined them with the hotel requirements to create new experiences that go beyond just function.

The first level manifests the wish for bright,


transparent open space, while the second and third levels provide a more private and introspective aesthetic world.

These lower and upper zones are then symbolically connected by words, a spiraling library rising from the ground and linking all floors.

Jury Report

This three-storey hotel building expresses the harmony through carefully detailing of tectonic, form and materials. The boldness and well proportioning of the façade design are appreciated by the jury. The design starts with 40 poems, which is interesting and poetic, despite this concept is not fully-implemented in the final design.





Kwun Tong Promenade, Stage 1

Architectural Services Department, HKSAR Government

Location Hoi Bun Road, Kwun Tong

Site Area 7,340 sq m
Contract Sum HK\$18.6 Million

Client Lesiure & Cultural Services Department, HKSAR Government

Completion 11 January 2011

Development Content Leisure and Recreational



Design Concept

Kwun Tong Promenade Stage 1 (the Project) has a length of 200m. It is the phase 1 of the whole Kai Tak Promenade Redevelopment Project, which is 900m long in total. Its design theme is "to bring Nature into our City". The total construction area is 7,340 sq m. The construction work started in March 2009 and completed in December 2009.


The scope of the Project includes:

- 200m long boardwalk;
- multi-purposes plaza with mist, music and special lighting;
- performance area with a 200-person spectator stand; and
- children play area

Over half of the site is green area. Coupled with the variety of facilities in it, we believe the Project could effectively revitalize and improve the seafront along Kwun Tong.

Jury Report

The project is Stage 1 of the Kai Tak Promenade Redevelopment Project. The jury is delighted to see the rhythm and clarity in the overall site planning. The special effect and lively atmosphere created in the multi-purposes plaza contrasts with the sense of calmness delivered through the long boardwalk and the large piece of grassland. Difference activities zones are well-balanced.





YOUR GREEN PARTNER FOR SUSTAINABLE BUILDING PRODUCTS

Sustainability is embedded into our business practices. In order to provide a full spectrum of sustainable building solutions, we have carefully chosen a range of products with international green accreditation and eco-friendly features to meet your design needs.





A member of the Jebsen Group • CONSUMER | INDUSTRIAL | BEVERAGE | LUXURY • Mainland China | Hong Kong | Macau | Taiwai

捷成集團成員 ・ 消費品 | 工業 | 飲料 | 奢侈品 ・ 中國大陸 | 香港 | 澳門 | 臺灣



HKIA SPECIAL ARCHITECTURAL AWARD – ARCHITECTURAL RESEARCH

Carbon Emission Evaluation


- An Architectural Design Verification Tool for Domestic Building

Hong Kong Housing Authority



*Occupation On-Site Construction

				Control of the Control		
			Same	ACCOUNT.	2444	
_		***	Marian.	Anna I	-	
	200	THE RESIDENCE OF THE PARTY.		-0.1		
	A-10	Selection of the second		4.5		
		14	-	7000	-	
		ON OF TRANSPORT				
	-	MARKET AND AND ADDRESS OF THE PARTY OF THE P				
	-		Test Service	200	100	
		444	Traineri ATTI	-	100	
		E				
	*****	of a common				
		The second second		- 1	_	
		No.	Total Control	No.	127	
-	Œ	130		1414		
manh	-	Tar	Books	1000	-11	
	100			_	-	
-	-	19	-	-	-	
	-	Contract China Section Sections		-		
				300	_	
1	-30			3		
	100 800		-	190001	-	
	roto.	CONTRACTOR OF THE	Name and Address of the Owner, where the Owner, which the			
27.57	2000	MARKET AND STREET	1223	100 m		
2772	in the	Andrew Control	2000	235=		
a rec	atto	the state of the s		. Deep.	-54	
				- Control	-	
-	199	Independent of the Control of the Co	1600	Base :	200	
100.00	1000	Contract Contract of	70000	200	20.23	
200	Section	Seed Seed See		dely	-16	
92.9	-amora	element of the second	Comme		100	
		AND DESCRIPTION OF THE PARTY OF				






Design Concept

The Hong Kong Housing Authority (HKHA), being one of the biggest public sector developers and flat owners in the HKSAR with a public rental housing stock of about 720,000 flats and annual production of around 15,000 flats, is committed to green design for the good of the environment. The HKHA has been making endeavors to enhance energy efficiency in new project development through the careful use of materials to reduce the total life cycle cost. In 2011, the HKHA has pioneered in devising a carbon emission estimation methodology to gauge the project at scheme design stage. This paper presents a tailormade Carbon Emission Estimation (CEE) model together with benchmark figures for HKHA buildings as an architectural design verification tool. The model focuses on the methodology in assessing major aspects of construction materials and building operations which have implication on carbon emission, reduction and absorption from cradle to grave for a building life of 100 years.

Jury Report

Buildings account for a large portion of energy consumptions in Hong Kong. Study tools related to green building design for Hong Kong will be beneficial to the environment. This year the number of submissions in this category is low. The jury hopes that more research of this kind will be encouraged by the award in this category.



Design Concept

Kowloon Bay, once dependent on manufacturing, is undergoing transformation of rejuvenation. Being located in a community with dense industrial blocks, the design investigates the possibility of providing an environmentally sustainable office design to both the users and the public in such an industrial area. The target is to contribute a greening effect to the neighborhood and enhances the quality of life for users of the building as well as pedestrian on street level.

The final design introduces extensive planting at the car park floors locating at the lower portion of the tower. In addition to the visually greening effect to the neighborhood, the planting also filters the air and improves the air quality of the car park. Hopefully, the suspended particulates in the air can be reduced and the design is able to provide the users of the car park a more pleasant experience of parking.

Jury Report

Carparking space at podium is common for developments in Hong Kong. This podium design demonstrates a skillful balance between aesthetics, environmental as well as functional concerns. The planting at carpark floors filters the air and improves the air quality of the carpark. The intention of providing a sustainable environment to both the users of the carpark and the public in such an industrial area is highly appreciated. It reflects how typical carparking space at podium in Hong Kong can be reconsidered in a more sustainable manner.

Location 18 Wang Chiu Road, Kowloon Bay,

Kowloon, Hong Kong

Site Area 2,700 sq m

Contract Sum Approx. HK\$315 Million

Client Sino Group
Completion 19 January 2011


Development Content Office, Shops, Car Park











10/F, Dah Sing Financial Centre, 108 Gloucester Road, Wanchai, HK.
T: 2529 3968 F: 2527 0299 W: www.skkhk.com.hk E: enquiries@skkhk.com.hk



Hydrotek & EXPERT IN SENSOR

美國知名大品牌 品質超群 榮獲香港水務署及多國認證





鴻昌行國際有限公司 Hung Cheong Hong International Ltd.

香港沙田火炭坳背灣街38號華衛工貿中心9樓9座 Flat 9, 9/F., Wah Wai Centre, 38 Au Pui Wan Street, Fo Tan, Shatin, Hong Kong Tel: (852) 2698 1012 Fax: (852) 2698 1098 E-mail: hchhk@netvigator.com







Multi-Tech Solutions Co., Ltd

Enquiry Hotline: 852-2269 9990 www.multi-tech.com.hk/d-link.html

ESTABLISHED IN HONG KONG AND MOVING HONG KONG FOR OVER 30 YEARS



We are pleased to supply Run Run Shaw Creative Media Centre of City University of Hong Kong with:

- · 4 units of 1600kg machine-room-less passenger elevator
- · 2 units of 750kg machine-room-less fireman's elevator
- 2 units of 400kg vertical lifting platform
- 1 unit of 3000kg heavy duty freight elevator



Anley, a member of the Analogue Group of Companies, specializes in the manufacture, sales, installation, modernization, maintenance and services of vertical / horizontal transportation systems.



13/F, Island Place Tower, No. 510 King's Road, North Point, Hong Kong
Tel: (852) 2561 8278
Fax: (852) 2565 7638

Tel: (852) 2561 8278 Email: info@anlev.com.hk

Website : www.anlev.com.hk







ATAL everywhere





Transforming data centres with exceptional engineering

From project surveys to design, site construction to warranty and maintenance, we provide a total solution to help you get the most out of your data centre. All based on ATAL's 35 years of stellar experience in pioneering engineering to help you stay ahead in an increasingly fast and complex world.

Bilco Floor, Vault & Sidewalk Doors

Floor, Vault and Sidewalk Doors provide reliable access to equipment stored underground or below/between building floors. Models include drainage doors, non-drainage doors, doors designed to receive flooring materials, doors for interior building applications, and fire-rated floor doors, as well as a number of special application doors.

Typical Applications

- Airports
- · Correctional Facilities
- Electric Utilities
- Factories
- · Hospitals
- · Manufacturing Facilities
- Natural Gas Utilities
- Office Buildings
- Processing Plants
- Retail Structures
- Schools
- Telecommunications Vaults
- Transit Systems
- Warehouses
- · Water/Waste Treatment Plants










Langley Academy, UK

Four Seasons Hotel, Macao



Bilco Roof Hatch





Description:

The easy one-hand operation to the fully open or closed position provides the user the security of having one hand firmly on the ladder at all times. Available in galvanized steel, aluminum, or stainless steel construction.

Specifications:

Material

Steel: Cover and frame are 14 gauge (1.9mm) G-90 paint bond galvanized steel

Cove

Breakformed, hollow-metal design with 1" (25.4mm) concealed fiberglass insulation, 3" (76mm) beaded, overlapping flange, fully welded at corners, and internally reinforced for 40 psf (195 kg/m2) live load

Curb

12" (305mm) in height with integral capflashing, 1: (25.4mm) fiberboard insulation, fully welded at corners, and 3-1/2" (89mm) mounting flange with 7/16" holes (11mm) provided for securing frame to the roof deck

Gasket

Extruded EPDM rubber gasket permanently adhered to cover

Hinges

Heavy-duty pintle hinges with 3/8" (9.5mm) Type 316 stainless steel hinge pins

Latch

Slam latch with interior and exterior turn handles and padlock hasps

Lift Assistance

Compression spring operators enclosed in telescopic tubes. Automatic hold-open arm with grip handle release

Finish

Steel: Alkyd base red oxide primer

Hardware

Steel: Engineered composite compression spring tubes. Steel compression springs with electrocoated acrylic finish. All other hardware is zinc plated/chromate sealed





Project: The Hong Kong Polytechnic University 香港理工大學 Model: SS-90 Stainless Steel Poof Hatch

Hong Kong Sales Distributor

Power Creation Engineering Ltd. 展力工程有限公司

9/F, Sui On Industrial Bldg., 134 Wai Yip Street, Kwun Tong, Kln. T 852-2304-4300 F 852-2304-4700

E alex@powercreation.com.hk

W www.powercreation.com.hk

Macau Sales Distributor

Ho Hing Eng Co., Ltd. 豪興工程有限公司

Edif. Jardim Hoi Wan, 6 Andar, A06, Rua BAIA No. 55, Taipa, Macau T 853-2885-7525 F 853-2884-8243

Mobile phone 853-6655-1260 E hohing@macau.ctm.net



















MAXGRAND • light studio

Let's experience our preen lighting!

Light Studio exhibited the latest green technology and design of light fixtures while combining with several user friendly control systems. In an area of **10,000 sq feet**, it's introducing more than 200 numbers of luminaires from exterior landscape to interior household and decorative to architectural, an eco-friendly LED accounted for 90% of the total.

To see and explore the newest lighting, interested parties may contact Ms. Eska Ng at marketing@maxgrand.com.hk for reservation.



The smart view to energy efficiency

Micrologic E

Control unit for Compact" NS and Masterpact[™] circuit breakers

The most affordable way to put energy metering where you need it



Smart



Safe



Simple







Know more about it, visit www.SEreply.com Key code: 49189F

Customer Care Centre 2579 9699

www.schneider-electric.com/micrologic-e

Schneider Electric (HK) Ltd.

Address: 13th Floor, East Wing, Warwick House, Taikoo Place, 979 King s Road, Quarry Bay, Hong Kong Tel: (852) 2565 0621 Fax: (852) 2811 1029 Customer Care Centre: (852) 2579 9699 www.schneider-electric.com/hk

*As part of a complete Active Energy Management™ programme













KLINGENBERG

Tiles from Germany

TECHNICA® — UNGLAZED VITRIFIED CERAMIC FLOOR TILES

NO MORE SLIPPERY FLOORS



We are pleased to thank you for the client and professional chosen the Klingenberg tile for the Tamar Public Art Project







美意建材(國際)有限公司BUONA IDEA BUILDING MATERIALS (INT'L) LIMITED

香港九龍觀塘開源道55號開聯工業大廈B座606室 Rm 606, Block B, Hoi Luen Ind. Centre, 55 Hoi Yuen Road, Kwun Tong, Kowloon, H.K 電話 Tel: (852) 2543 4243 傅真 Fax: (852) 2543 0408 電郵 Email: buonaid@netvigator.com

www.buonaidea.com.hk

Performance Drywall & Ceiling Systems



Recent projects reference:

- · City of Dreams, Macau
- · North Mall, Ph 1, Podium, Venetian Macau
- · Wynn Casino & Resort Ph 1, Macau
- · One Island East, Quarry Bay
- Prince of Wales Hospital Extension Block, Shatin
- · Science Park Ph 3, Shatin
- · Mandarin Oriental Hotel, Landmark
- · Disneyland, Hong Kong
- · AIG Tower, Central
- · Pacific Place Ph 3, Queensway
- · West Rail Siu Hong & Tuen Mun Station





Rm. 702-5, Yen Sheng Centre, 64 Hoi Yuen Road,

Kwun Tong, Kowloon, Hong Kong.

Tel: (852) 2811 5253 Email: cemachk@cemachk.com

Fax: (852) 2516 5115 http://cemac.com.cn



The low-cost solution to high-cost crime 低成本方案解決高成本罪案

Your house is worth millions. Your family is priceless. Install an unobtrusive AFSCO electric fence – the ultimate in perimeter protection.

你的房子價值不菲,你的家人更是無價。安裝一套 AFSCO 電圍欄 — 是你給家人的最佳保護。





DEFEND... DETER... DENY... DETECT 捍衛 ... 阻止 ... 防犯 ... 偵測

Phone 電話: 2880 0512 Email 電郵: afscohk@sprintlocks.com www.sprintlocks.com